

Scopus

Search

Sources

Alerts

Lists

Help

Search within results...

# Document search results

AUTHOR-NAME ( **supale a r** ) [Edit](#) | [Save](#) | [Set alert](#) | [Set feed](#)Show results for: AUTHOR-NAME ( **supple a r** )**9 document results** [View secondary documents](#) | [Analyze search results](#) All[Export](#)[Download](#)[View citation overview](#)[View Cited by](#)[Add to List](#) | [More](#)**Refine**[Limit to](#)[Exclude](#)**Year**

- 2010 (4)
- 2009 (2)
- 2008 (3)

**Author Name**

- Gokavi, G.S. (9)
- Supale, A.R. (9)
- Kadam, S.D. (2)
- Aminabhavi, T.M. (1)
- Gurame, V.M. (1)

**Subject Area**

- Chemistry (9)
- Chemical Engineering (4)
- Biochemistry, Genetics and Molecular Biology (2)
- Engineering (1)
- Environmental Science (1)

**Document Type**

- Article (9)

**Source Title****Keyword****Affiliation****Country/Territory****Source Type****Language**[Limit to](#)[Exclude](#)

- 1 Preyssler type heteropolyacid-incorporated highly water-selective sodium alginate-based inorganic-organic hybrid membranes for pervaporation dehydration of ethanol Magalad, V.T., Supale, A.R., Maradur, S.P., Gokavi, G.S., Aminabhavi, T.M.

[View at Publisher](#)

- 2 Selective oxidation of sulfides to sulfones using H<sub>2</sub>O<sub>2</sub> and anderson-type hexamolybdochromate(III) as catalyst Supale, A.R., Gokavi, G.S.

[View at Publisher](#)

- 3 Kinetic and mechanistic study of oxidation of L-methionine by Waugh-type enneamolybdomanganate(IV) in perchloric acid Gurame, V.M., Supale, A.R., Gokavi, G.S.

[View at Publisher](#)

- 4 An environmentally benign three component one-pot synthesis of amidoalkyl naphthols using H<sub>4</sub>SiW<sub>12</sub>O<sub>40</sub> as a recyclable catalyst Supale, A.R., Gokavi, G.S.

- 5 Waugh type enneamolybdomanganate(IV) catalyzed synthesis of polyhydrquinoline through hantzsch multi-component condensation Supale, A.R., Gokavi, G.S.

[View at Publisher](#)

- 6 12-Tungstocobaltate(II) catalyzed selective oxidation of sulfides to sulfoxides using aqueous hydrogen peroxide under solvent free conditions Supale, A.R., Gokavi, G.S.

[View at Publisher](#)

- 7 Kinetics and mechanism of oxidation of benzoic acid hydrazide by bromate catalyzed by octamolybdomanganate(II) Kadam, S.D., Supale, A.R., Gokavi, G.S.

[View at Publisher](#)

- 8 Chromium (III) catalyzed selective oxidation of sulfides to sulfoxides using 30% H<sub>2</sub>O<sub>2</sub> Supale, A.R., Gokavi, G.S.

[View at Publisher](#)

- 9 Kinetics and mechanism of oxidation of benzoic acid hydrazide by bromate catalyzed by Anderson type hexamolybdochromate(III) in aqueous acidic medium Kadam, S.D., Supale, A.R., Gokavi, G.S.

[View at Publisher](#)[Export refine](#)Display  results per page[About Scopus](#)[What is Scopus](#)[Language](#)[日本語に切り替える](#)[Custom](#)[Help](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

[切换到简体中文](#)

[切换到繁體中文](#)

[Live Chat](#)

[Contact Us](#)

---

**ELSEVIER**

[Terms and conditions](#)

[Privacy policy](#)

Copyright © 2016 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

Cookies are set by this site. To decline them or learn more, visit our [Cookies page](#).